Selective Laser Trabeculoplasty (SLT) Information Sheet

What is SLT?

SLT stands for "Selective Laser Trabeculoplasty." It is a quick and safe laser treatment used to lower eye pressure in people with glaucoma. Lowering pressure helps protect your vision.

Why Is It Done?

Your doctor may recommend SLT if:

- Your eye drops are not working well enough
- You are having side effects from eye drops
- You want to reduce or stop using eye drops
- You prefer a non-medication option

How Does It Work?

- A laser treats the part of your eye that drains fluid
- This helps the fluid drain better and lowers eye pressure
- The laser does not damage the eye

What Happens During the Procedure?

- The procedure takes about 5 to 10 minutes
- It's usually done in a clinic while you are awake
- Your eye will be numbed with drops
- A lens is placed on your eye to guide the laser
- You might see bright lights or feel light pressure. It is usually not painful
- Your eye pressure will be checked afterward and more frequently for a few months

After the Procedure

- You may have mild irritation or blurry vision for a few hours
- You may be given eye drops to reduce inflammation (redness or swelling) for a few days
- Most people can return to normal activities the same day
- You will need follow-up visits to check your eye pressure

How Well Does SIT Work?

SLT will lower eye pressure in most patients. It may take a few weeks to see the full effect. Most patients can reduce or stop their eye drops. SLT can usually be repeated if needed.

Risks and Side Effects

SLT is very safe. Some possible side effects include:

- Mild discomfort or redness
- A short-term rise in eye pressure (your doctor will monitor this)
- Rarely, blurry vision or mild inflammation

When to Call Your Eye Doctor

Call your clinic if you have worsening pain or vision following your laser treatment.

Frequently Asked Questions

Q: Does it hurt?

A: Most people feel only mild discomfort. The procedure is quick, and the laser itself is not usually painful.

Q: Will I still need glaucoma drops?

A: You may still need eye drops after SLT, depending on your pressure and other eye findings. Your doctor will guide you.

Q: How long does SLT last?

A: SLT generally works for 1 to 5 years, and sometimes much longer. The effect can wear off over time, but the treatment can usually be repeated if needed.

This document was reviewed by Dr. Steve Arshinoff.